

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	1 / 11

1. Identification**1.1. Product identifier**

Trade name	ULTRASIL® 360
Chemical Name	Silicon dioxide, chemically prepared
CAS-No.	112926-00-8, 7631-86-9

1.2. Recommended use of the chemical and restrictions on use

Relevant applications identified	Rubber - producing and processing industry
----------------------------------	--

1.3. Details of the supplier of the safety data sheet

Company	Evonik Corporation USA 299 Jefferson Road Parsippany, NJ 07054-0677 USA
Telephone	973-929-8000
Telefax	973-929-8040
Email address	Product-Regulatory-Services@Evonik.com

1.4. 24 HOUR EMERGENCY TELEPHONE NUMBERS:

CHEMTREC - US & CANADA:	800-424-9300
CHEMTREC MEXICO:	01-800-681-9531
CHEMTREC INTERNATIONAL:	+1 703-527-3887 (collect calls accepted)
Product Regulatory Services	: 973-929-8060

2. Hazards identification**2.1. Classification of the substance or mixture**

Classification according to Regulation 29CFR 1910.1200	
Remarks	Not a hazardous substance or mixture.

2.2. Label elements

Statutory basis	Classification according to Regulation 29CFR 1910.1200
Remarks	Not a hazardous substance or mixture.

Contains Sodium Sulfate
The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 2 %

2.3. Other hazards

None known.
Silicon dioxide, chemically preparedA PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	2 / 11

3. Composition/information on ingredients**3.1. Substances****• Silicon dioxide, chemically prepared**

CAS-No. 112926-00-8

Remarks Not a hazardous substance or mixture.

Other information

A new CAS , 112926-00-8, has been assigned to Amorphous Precipitated Silica to distinguish it from crystalline. According to EPA this product meets TSCA requirements and is listed on the TSCA Inventory as Silica, CAS 7631-86-9.

**3.2. Mixtures
not applicable****4. First aid measures****4.1. Description of first aid measures****Inhalation**

In case product dust is released: Possible discomfort: cough, sneezing
Move victims into fresh air.

Skin contact

Wash off with soap and plenty of water.

Eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes or until all material has been removed. Obtain medical attention.

Ingestion

If accidentally swallowed, rinse mouth thoroughly with water and afterwards, drink plenty of water. In case of discomfort, obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed**Symptoms**

None known

4.3. Indication of any immediate medical attention and special treatment needed

No hazards which require special first aid measures.

5. Fire-fighting measures**5.1. Extinguishing media**

Suitable extinguishing media: Water spray, foam, CO2, dry powder., Adapt fire-extinguishing measures to surroundings

Unsuitable extinguishing media: Do not use full-force water jet in order to avoid dispersal and spread of the fire.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Water used to extinguish fire should not enter drainage systems, soil or stretches of water.
Ensure there are sufficient retaining facilities for water used to extinguish fire.

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	3 / 11

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment.

6.2. Environmental precautions

Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil. Do not allow entrance in sewage water, soil stretches of water, groundwater, drainage systems.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

7. Handling and storage

7.1. Precautions for safe handling

Use with adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Storage

Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls/personal protection

8.1. Control parameters

• Silicon dioxide, chemically prepared			
CAS-No.	112926-00-8		
	7631-86-9		
Control parameters	5 mg/m ³		Permissible exposure limit:(OSHA Z1)
type of exposure	Respirable fraction.		
Control parameters	15 mg/m ³		Permissible exposure limit:(OSHA Z1)
type of exposure	Total dust.		
Control parameters	20millions of particles per cubic foot of air		Time Weighted Average (TWA):(Z3)
Control parameters	0.8 mg/m ³		Time Weighted Average (TWA):(Z3)
	The exposure limit is calculated from the equation, 80/(%SiO ₂), using a value of 100% SiO ₂ . Lower values of % SiO ₂ will give higher exposure limits.		

8.2. Exposure controls

Personal protective equipment

Respiratory protection

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Hand protection

Use impermeable gloves.

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	4 / 11

Eye protection

Wear safety glasses with side shields. In case dusts are formed, wear close fitting protective goggles.

Skin and body protection

A safety shower and eye wash fountain should be readily available.

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

Hygiene measures

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work.

To ensure ideal skin protection: use super fatted soaps and skin cream for skin care.

Wash contaminated clothing before re-use.

Protective measures

Handle in accordance with good industrial hygiene and safety practice.

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used.

If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

physical state	solid
Colour	white
Form	powder
Odour	odorless
Odour Threshold	not applicable
pH	ca. 9 (50 g/l) (20 °C) Method: DIN / ISO 787 / 9 (suspension)
Melting point/range	ca. 1700 °C
Boiling point/range	not determined
Flash point	not applicable
Evaporation rate	not applicable
Flammability (solid, gas)	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Vapour pressure	not applicable
Vapour density	not applicable
Density	ca. 2 g/cm ³ (20 °C)
Water solubility	hardly soluble
Partition coefficient: n-	not applicable

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	5 / 11

octanol/water	
Autoignition temperature	not applicable
Thermal decomposition	> 2000 °C
Viscosity, dynamic	not applicable (solid)

9.2. Other information

Explosiveness	Not to be expected in view of the structure
Minimum ignition energy	not applicable
Tapped density	ca. 210 g / l Method: DIN / ISO 787/11

10. Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See Sect. 10.1 Reactivity.

10.4. Conditions to avoid

No specific hazards are known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

None known.

Stable under normal conditions.
Product will not undergo hazardous polymerization.

11. Toxicological information**11.1. Information on toxicological effects**

Acute oral toxicity	LD50 Rat: > 5000 mg/kg Method: OECD Test Guideline 401 comparable product
Acute inhalation toxicity	LC0 Rat: 0.69 mg/l / 4 h Method: analogous OECD method No deaths occurred. comparable product
Acute dermal toxicity	LD50 Rabbit: > 5000 mg/kg comparable product

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	6 / 11

Skin irritation	Rabbit not irritating Method: analogous OECD method comparable product
Eye irritation	Rabbit not irritating Method: analogous OECD method comparable product
Sensitization	not known
Assessment of STOT single exposure	no evidence for hazardous properties
Assessment of STOT repeat exposure	no evidence for hazardous properties
Risk of aspiration toxicity	No aspiration toxicity classification
Mutagenicity assessment	no evidence of mutagenic effects
Carcinogenicity	No evidence that cancer may be caused.
carcinogenicity assessment	Contains no carcinogenic substances as defined by NTP, IARC and/or OSHA.
Toxicity to reproduction	no evidence of reproductiontoxic properties
Human experience	Silicosis or other product specific illnesses of the respiratory tract were not observed in association with the product.
Further information	The classification criteria are not met based on the available data.

12. Ecological information**12.1. Toxicity**

Toxicity to fish	LC50 (Brachydanio rerio): > 10000 mg/l / 96 h Method: OECD 203 The reported toxic effects relate to the nominal concentration.
Toxicity in aquatic invertebrates	EC50 Daphnia magna: > 1000 mg/l / 24 h Method: OECD 202 The reported toxic effects relate to the nominal concentration.

12.2. Persistence and degradability

Biodegradability	The methods for determining biodegradability are not applicable to inorganic substances.
------------------	--

12.3. Bioaccumulative potential

Bioaccumulation	Not to be expected.
-----------------	---------------------

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	7 / 11

12.4. Mobility in soil

Mobility

No remarkable mobility in soil is to be expected.

12.5. Other adverse effects

Further Information

The classification criteria are not met based on the available data.

13. Disposal considerations**13.1. Waste treatment methods****Product**

Waste must be disposed of in accordance with federal, state and local regulations. Incineration is the preferred method.

Uncleaned packaging

Packaging material should be recycled or disposed of in accordance with federal, state and local regulations.

14. Transport information

Not dangerous according to transport regulations.

- | | |
|---|-----|
| 14.1. UN number: | -- |
| 14.2. UN proper shipping name: | -- |
| 14.3. Transport hazard class(es): | -- |
| 14.4. Packing group: | -- |
| 14.5. Environmental hazards (Marine pollutant): | -- |
| 14.6. Special precautions for user: | Yes |
- Not dangerous according to transport regulations.

15. Regulatory information**US Federal Regulations****OSHA**

If listed below, chemical specific standards apply to the product or components:

- None listed

Clean Air Act Section (112)

If listed below, components present at or above the de minimus level are hazardous air pollutants:

- None listed

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	8 / 11

CERCLA Reportable Quantities

If listed below, a reportable quantity (RQ) applies to the product based on the percent of the named component:

- None listed

SARA Title III Section 311/312 Hazard Categories

The product meets the criteria only for the listed hazard classes:

- No SARA Hazards

SARA Title III Section 313 Reportable Substances

If listed below, components are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

- None listed

Toxic Substances Control Act (TSCA)

If listed below, non-proprietary substances are subject to export notification under Section 12 (b) of TSCA:

- None listed

State Regulations

The Listing requirements of the Right to Know (RTK) legislation varies by state. All information for NJ, PA, MA and other states can be derived from the listing of hazardous and non-hazardous components in section 2 and 15 of this MSDS.

California Proposition 65

A warning under the California Drinking Water Act is required only if listed below:

- None listed

An employer using HMIS/NFPA labeling must through training ensure that its employees are fully aware of the hazards of the chemicals used.

HMIS Ratings

Health :	1
Flammability :	0
Physical Hazard :	0

NFPA Ratings

Health :	1
Flammability :	0
Reactivity :	0

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	9 / 11

16. Other information**Further information**

Revision date 05/18/2015

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	10 / 11

Legend

ACC	American Chemistry Council
ACGIH	American Conference of Governmental Industrial Hygienists
ACS	Advisory Committee on Sustainability
ADI	Acceptable Daily Intake
ASTM	American Society for Testing and Materials
ATP	Adaptation to Technical Progress
BCF	Bioconcentration factor
BOD	Biochemical oxygen demand
c.c.	closed cup
CAO	Cargo Aircraft Only
Carc	Carcinogen
CAS	Chemical Abstract Services
CDN	Canada
CEPA	Canadian Environmental Protection Act
CERCLA	Comprehensive Environmental Response – Compensation and Liability Act
CFR	Code of Federal Regulations
CMR	carcinogenic-mutagenic-toxic for reproduction
COD	Chemical oxygen demand
DIN	German Institute for Standardization
DMEL	Derived minimum effect level
DNEL	Derived no effect level
DOT	Department of Transportation
EC50	half maximal effective concentration
EPA	Environmental Protection Agency
ErC50	Reduction of Growth Rate
ERG	Emergency Response Guide Book
FDA	Food and Drug Administration
GHS	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
GLP	Good Laboratory Practice
GMO	Genetic Modified Organism
HCS	Hazard Communication Standard
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO-TI	International Civil Aviation Organization- Technical Instructions
ICCA	International Council of Chemical Association
ID	Identification number
IMDG	International Maritime Dangerous Goods
IUPAC	International Union of Pure and Applied Chemistry
ISO	International Organization For Standardization
LC50	50 % Lethal Concentration
LD50	50 % Lethal Dose
L(EC50)	LC50 or EC50
LOAEL	Low est observed adverse effect level
LOEL	Low est observed effect level
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NOAEL	No observed adverse effect level
NOEC	no observed effect concentration
NOEL	no observed effect level
o. c.	open cup
OECD	Organisation for Economic Cooperation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety and Health Administration
PBT	Persistent, bioaccumulative, toxic
PEC	Predicted effect concentration
PNEC	Predicted no effect concentration
RQ	Reportable Quantity
SDS	Safety Data Sheet
STOT	Specific Target Organ Toxicity
UN	United Nations
vPvB	very persistent, very bioaccumulative

SAFETY DATA SHEET**ULTRASIL® 360**

Material no.		Version	4.0 / US
Specification	132282	Revision date	05/18/2015
Order Number		Print Date	05/20/2015
		Page	11 / 11

voc volatile organic compounds
WHMIS Workplace Hazardous Materials Information System
WHO World Health Organization