KUMHO PETROCHEMICAL

SAFETY DATA SHEET KUMHO KNB 25LM

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010, COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name KUMHO KNB 25LM

REACH registration number -

REACH registration notesMonomer is registered instead of Butadiene-Acrylonitrile polymer. (Registration number of

monomer: Acrylonitrile: 01-2119474195-34-****, Butadiene: 01-2119471988-16-****)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Raw materials for rubber products needing oil-proof characteristic (automobile parts, rubber

hoses, gaskets, belts)

Uses advised against Not available.

1.3. Details of the supplier of the safety data sheet

Supplier OR of KOREA KUMHO Petrochemical Co., Ltd.

KIST Europe Forschungsgesellschaft mbH

Campus E71

66123 Saarbruecken

Germany

Tel: +49 681 9382 334 Fax: +49 681 9382 319 e-mail: reach.it@kist-europe.de

Manufacturer Korea Kumho Petrochemical Co., Ltd.

64, Sanggae-ro, Nam-gu

Ulsan, Korea 680-180

Tel: +82-52-259-6051~7 Fax: +82-52-259-6053

1.4. Emergency telephone number

Emergency telephone +49 551 19240

GIZ-Nord, Goettingen, Germany (English only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC/1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

KUMHO KNB 25LM

2.2. Label elements

Hazard statements NC Not Classified

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

BUTADIENE-ACRYLONITRILE POLYMER

97 - 99%

CAS number: 9003-18-3

Classification
Not Classified

Resin acids and Rosin acids, potassium salts

1 - 2 %

CAS number: 61790-50-9 EC number: 263-142-4

Classification
Not Classified

Facid <1%

CAS number: 67701-06-8

Classification
Not Classified

The full text for all hazard statements is displayed in Section 16.

Composition comments Monomer is registered instead of Butadiene-Acrylonitrile polymer. (Registration number of

monomer: Acrylonitrile: 01-2119474195-34-****, Butadiene: 01-2119471988-16-****)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. When breathing is difficult, properly trained personnel may assist affected person

by administering oxygen. Get medical attention if any discomfort continues.

Ingestion Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not

enter the lungs. Get medical attention if any discomfort continues. Rinse mouth.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Wash contaminated

clothing before reuse. Get medical attention if any discomfort continues.

Eye contact Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse

for at least 15 minutes.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact May cause minor irritation on eye.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

KUMHO KNB 25LM

5.1. Extinguishing media

Suitable extinguishing media Water. Foam. Carbon dioxide (CO2). Dry chemicals.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Irritating gases or vapours. Dust or gas may ignite by flames. Containers can burst violently or

explode when heated, due to excessive pressure build-up.

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Avoid inhalation of materials or combustion by-products.

Special protective equipment

Use protective equipment appropriate for surrounding materials.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid heat,

flames and other sources of ignition. Keep upwind. Stop leak if possible without risk. Move

containers from fire area if it can be done without risk.

6.2. Environmental precautions

Environmental precautions Store away from waterwork or drainage system. Prevent run-off from entering ground, storm

sewers and ditches which lead to natural waterways. If large spills, call emergency services to

get advice.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Collect spilled material in appropriate container for disposal. Large Spillages:

Avoid lowland and keep upwind. Dispose of contents/containers in accordance with

local/regional/national/international regulations.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautionsWear protective clothing as described in Section 8 of this safety data sheet. Provide adequate

ventilation. Avoid contact with skin and eyes. Avoid heat, flames and other sources of ignition.

Wash thoroughly after handling. Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep container tightly sealed when not in use. Do not store near heat sources or expose to

high temperatures. Protect against direct sunlight. Store and handle in accordance with all

current regulations and standards.

7.3. Specific end use(s)

Specific end use(s) Not available.

KUMHO KNB 25LM

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

ACGIH

Ingredient comments No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment







Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

Eye/face protection The following protection should be worn: Chemical splash goggles.

Hand protection Wear suitable gloves.

Other skin and body

protection

Wear suitable protective clothing.

Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level. Provide

eyewash station and safety shower. Wash hands after handling.

or heavy exposure, respiratory protection may be needed.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Solid

Colour Yellow-white.

Odour Mild.

Odour threshold Not available. Not available.

pH Not available.

Melting point Not applicable.

Initial boiling point and range Not applicable.

Flash point 246°C

Evaporation rate Not available.

Upper/lower flammability or

explosive limits

Not available.

Other flammability Not available.

Vapour pressure Not applicable.

Vapour density Not available.

Relative density Not available.

Solubility(ies) Insoluble in water.

KUMHO KNB 25LM

Partition coefficient Not applicable.

Auto-ignition temperature > 388°C

Decomposition Temperature Not available.

Viscosity Not available.

Explosive properties Not applicable.

Oxidising properties Not available.

9.2. Other information

Molecular weight Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Not available.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Protect against direct sunlight.

10.5. Incompatible materials

Materials to avoid Not available.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Hydrocarbons. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen. Sulphurous gases (SOx).

Hydrogen cyanide (HCN).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Not available.

Acute toxicity - dermal

Notes (dermal LD₅₀) Not available.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Not available.

Skin corrosion/irritation

Animal data Not available.

Serious eye damage/irritation

Serious eye damage/irritation Not available.

Germ cell mutagenicity

Genotoxicity - in vitro Not available.

KUMHO KNB 25LM

Genotoxicity - in vivo Not available.

Carcinogenicity

Carcinogenicity Not available.

Reproductive toxicity

Reproductive toxicity - fertility Not available.

Reproductive toxicity -

Not available.

development

Specific target organ toxicity - single exposure

STOT - single exposure

Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not available.

Toxicological information on ingredients.

Resin acids and Rosin acids, potassium salts

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,000.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rat

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Endpoint waived according to REACH Annex VII, IX or XI.

Facid

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,000.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation 0.1621

(LC₅₀ vapours mg/l)

Species Rat

ATE inhalation (vapours 0.1621

mg/l)

SECTION 12: Ecological Information

KUMHO KNB 25LM

Ecotoxicity There are no data on the ecotoxicity of this product.

12.1. Toxicity

Acute toxicity - fish Not available.

Acute toxicity - aquatic

invertebrates

Not available.

Acute toxicity - aquatic plants Not available.

Acute toxicity - Not available.

microorganisms

Acute toxicity - terrestrial Not available.

Chronic toxicity - fish early life Not available.

stage

Short term toxicity - embryo

and sac fry stages

Not available.

Chronic toxicity - aquatic

invertebrates

Not available.

Ecological information on ingredients.

Resin acids and Rosin acids, potassium salts

Acute toxicity - fish LC50, 96 hours: 60.3 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 3.8 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

NOEC, 96 hours: 0.0125 mg/l, Scenedesmus subspicatus

Facid

Acute toxicity - fish LC50, 96 hours: 1354.4 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: > 4.8 mg/l, Daphnia magna

Acute toxicity - aquatic EC₅₀, 72 hours: > 0.9 mg/l, Selenastrum capricornutum

plants (based on the growth rate)

12.2. Persistence and degradability

Persistence and degradability Not available.

Biodegradation Not available.

12.3. Bioaccumulative potential

Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility Not available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvBThis product does not contain any substances classified as PBT or vPvB.

assessment

KUMHO KNB 25LM

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of contents/containers in accordance with local/regional/national/international

regulations. Waste is suitable for incineration. If the waste contains designated waste and difficult to separate, incinerate it or reduce the volume following the similar way as

incineration. If applicable, pretreat waste with oil/water separation.

Disposal methods Confirm disposal procedures with environmental engineer and local regulations. Dispose of

the waste by oneself or contact disposal company.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations (Title VII No

No specific authorisations are known for this product.

Regulation 1907/2006)

Restrictions (Title VIII

No specific restrictions on use are known for this product.

Regulation 1907/2006)

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for Resin acids and Rosin acids, potassium salts (CAS:61790-50-9) and Facid (CAS:67701-06-8).

KUMHO KNB 25LM

SECTION 16: Other information

Issued by KIST Europe

Revision date 24/07/2017

Revision 2

SDS status Approved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.